



CHALLOILS PROTECTIVE CHAINSAW

Protective chain

Product Description:

PROTECTIVE CHAINSAW is a biodegradable fluid based on vegetable esters.

Features:

PROTECTIVE CHAINSAW is a fluid formulated for the protection and lubrication of saw chains, thanks to its high adhesive properties, increases the duration and decreases the risk of breakage of the same.

- High adhesion
- Maximum chain protection and the bar
- Reduction of wear
- Versatility

Typical properties: CHALLOILS PROTECTIVE CHAINSAW

Viscosity ASTM D-445

cSt @ 40°C	37 – 42
------------	---------

Flash Point, °C, ASTM D-92	260
----------------------------	-----

Viscosity Index, ASTM D-2270	≥200
------------------------------	------

Pour Point, °C, ASTM D-97	≤-21
---------------------------	------

Density @ 15°C, Kg/l, ASTM D-1298	≥0,910
-----------------------------------	--------

Biodegradability, %m, CAC-L-33-T 82	95
-------------------------------------	----

Health and Safety:

The data related to health, safety and environmental protection are provided in the material safety data sheets.

The above figures are those relating to normal manufacturing tolerances and do not constitute a specification.

PROTECTIVE CHAINSAW Date Created: 18/01/2013 Last Edit: 20/07/2018

This data sheet and the information it contains is believed to be correct with specific reference to the date of printing. The accuracy or completeness of the data and information contained in this publication are not binding in any way the responsibility of the company. The user has the obligation to evaluate and use products safely and in accordance with all applicable laws and regulations currently in force. No statement made in this publication shall be construed as a permission, recommendation or authorization given or implied to practice any patented invention without a license. The GL OIL S.P.A. can not be held responsible for any damage or injury resulting from incorrect use of the product or of any lessening the recommendations or any risk arising from the nature of the material.